

Injection cartridge FIS VS



Usage

Suitable for:

- Non-cracked concrete
- Prestressed hollow-core concrete slabs
- Solid brick
- Sand-lime solid brick
- Solid block made from lightweight concrete
- Aircrete
- Vertically perforated brick
- Sand-lime perforated brick
- Slabs made of bricks, concrete blocks, etc.
- Hollow blocks
- No fines lightweight concrete

For fixing of:


- Steel constructions
- Railings
- Hand-rails
- Consoles
- Ladders
- Cable trays
- Machines
- Awnings
- Staircases

- High-racks
- Gates
- Facades
- Window elements
- high racks
- Canopies
- Stand-off installations

Description

- Styrene-free, quick-curing high-performance hybrid mortar (contains vinyl ester resin and cement) in a shuttle cartridge for concrete and masonry.
- FIS VS 100 P is fitted with a screw-in plunger and ejected by hand.
- FIS VS 150 C and FIS VS 300 T can be extruded by using an application gun for sealants.
- FIS VS 360 S is extruded by using a special injection gun.
- Especially with longer gelling time and lower application pressure.
- Resin and cement as well as water and hardener are stored in two separate chambers and are not mixed and activated until pushed through the static mixer.
- Partially-used cartridges can easily be reused by changing the static mixer.








Examples of use




Installation

Installation tips

- Before using the mortar, the instruction sheet needs to be read carefully.
- For fixings in solid building materials, the drill-hole needs to be cleaned thoroughly.
- If there is a damp drill-hole during installation, the load-bearing capacity might be reduced.





Technical data

Type	Art.-No.	ETA ■ DIBt ●	shelf life months	languages on the label	contents	contents [ml]	contents [scale units]		EAN Code	ID
FIS VS 150 C	45302	-	18	D, GB, F, I, NL, E	1 cartridge 145 ml + 2 static mixer	145	70	32141010	4006209453025	5
FIS VS 150 C Set	45303	-	18	D, GB, F, I, NL, E	Set for hollow bricks: 1 Inj. cartridge, incl. 2 static mixer + 6 x FIS H 16x80 K	145	70	32141010	4006209453032	2
KPK 1	53116	-	-	-	-	-	-	82055990	-	7